



≡ UNCINT



U&C International Co., Ltd.

Seoul Office

Room 718, 28, Digital-ro 30-gil, Guro-gu, Seoul, Korea

Head Office

106-11 Beomjigi-ro, Danwon-gu, Ansan-si, Korea

Tel. +82 2 864 7715 **Fax.** +82 2 864 7713

Contact. marketing@uncint.net

www.uncint.com

ABOUT US

UNC International is a dental zirconia manufacturer founded in 2013.

We work hard with professional knowledge and sales skills with the aim of manufacturing the world's best zirconia. As a result, we have grown to more than 60% market share in Korea.

Now we're heading to the global market with our technology and vision.

OUR VALUES

People Centered

At UNC we understand the importance of not just health but also beauty. We invent products not just for those in need of medical reconstruction, but also those looking to upgrade their smiles.

Dedicated to Our Service


Our dedicated team members are ready to answer any questions or concerns via phone or email, and handle any issues whether it be

Innovating the Future Market


We are focused on creating new, never seen before Zirconia products. We hope to become the future of dental health and beauty and are making



OUR HISTORY



GLOBAL PARTNERS



• SOUTH AMERICA

PERU / BRASIL / CHILE
ECUADOR / COSTA RICA

• NORTH AMERICA

CANADA / UNITED STATES

• EUROPE

ALBANIA / KOSOVO / RUSSIA
NORTH MACEDONIA / BULGARIA
GREECE / HUNGARY / POLAND
 MOLDOVA / ITALY / ROMANIA

• AFRICA

MOROCCO / LIBYA / TUNISIA

• ASIA

INDIA / THAILAND / SINGAPORE
JAPAN / HONG KONG / TAIWAN
VIETNAM / MALAYSIA / INDONESIA
TURKIYE / PALESTINE / ISRAEL
IRAQ / IRAN / UAE /
KAZAKHSTAN / UZBEKISTAN

• OCEANIA

AUSTRALIA / NEW ZEALAND

PRODUCT LIST

3D MULTILAYER

EVEREST UVS



EVEREST AT



EVEREST AT+



EVEREST PT



STRENGTH

Incisal 900MPa
Cervical 1150MPa

Incisal 800MPa
Cervical 1100MPa

800MPa

Incisal 1100MPa
Cervical 1250MPa

TRANSLUCENCY

Incisal 48%
Cervical 45%

Incisal 48%
Cervical 46%

48%

Incisal 46%
Cervical 44%

INDICATION

Full Zirconia
Anterior, Posterior
Single Crown to Full Arch

Full Zirconia
Anterior
Veneer, Crown, Bridge

Full Zirconia
Anterior
Veneer, Crown, Bridge

Full Zirconia
Posterior
Crown, Bridge, Long-span
Bridge, All on 4

RAZOR 800

RAZOR 1100

RAZOR 1300

RAZOR CAP



800MPa

1100MPa

1300MPa

1400MPa

48%

46%

44%

35%

Full Zirconia
Anterior
Veneer, Inlay, Crown,
Bridge

Full Zirconia, Coping
Anterior, Posterior
Inlay, Coping, Crown,
Full Arch, All on 4

Full Zirconia, Coping
Posterior
Crown, Bridge, Full Arch,
All on 4

Coping, Coping Bridge


EVEREST 3D MULTILAYER UVS



EVEREST Multilayer Universal Speed (UVS) combines our latest multilayer zirconia technology to create a strong but transparent material with no compromise to shade stability in both speed and normal sintering. Suitable for single crowns and full arches, no variation in translucency or strength.

	Translucency	Strength	Block Size
Incisal			Ø 95, 98
	48%	900MPa	12mm
	47%	1000MPa	14mm
	46%	1100MPa	16mm
	45%	1150MPa	18mm
			20mm
			22mm
			25mm
			30mm
Cervical			

Indication




Anterior Crown

Posterior Crown


Full Arch

Sintering Schedule

UVS Speed mode
Max. temp: 1530°C
Total hours: About 40min



UVS Normal mode
Max. temp: 1530°C
Total hours: About 4hr



Shades

A1, A2, A3, A3.5
B1, B2, B3
C1, C2, C3
D2, D3
BL1, BL3

14 Shades

Why EVEREST Multilayer UVS?

- Fast sintering zirconia
- 40 minute sintering cycle (based on single crown)
- Same results in both Normal and Speed sintering
- Same results in wide MAX temperature range (1500°C-1560°C)
- Flexural strength, translucency, and shade stability
- For all indications (single crown to full arch, anterior and posterior)



EVEREST Volcan Speed

Paired with EVEREST Multilayer UVS, sinter a crown in only 40 minutes and full arch in only 4 hours.

- 40 minute speed sintering mode
- Normal sintering- 2 layer tray capacity (90 Ø)
- Speed sintering- Maximum 5ea crowns
- Shade stability and consistency
- High purity and heat durability

4 Hour
Sintering

40 Minute
Sintering



**EVEREST
MULTILAYER
UVS**

**OTHER
MULTILAYERS**

Zirconia Pre-Polishing Felt

UNC Pre-Polishing Felt is infused with diamond paste in order to save time when polishing and provides a fast high gloss effect.

Paired with EVEREST Multilayer UVS and EVEREST Volcan Speed, finish restorations within one visit.


- Designed for polishing zirconia before sintering
- Pre-polishing can save up to 30 minutes
- Under 1 minute for a single crown




EVEREST 3D MULTILAYER AT



EVEREST Multilayer AT is a very high transparency multilayer zirconia designed for aesthetic prosthetics in the anterior region.



Indication




Veneer

Anterior Crown

Anterior Bridge

Sintering Schedule

Max. temp: 1530°C
Total hours: About 5hr



Shades

A1, A2, A3, A3.5, A4
B1, B2, B3, B4
C1, C2, C3, C4
D2, D3, D4
BL0, BL1, BL2, BL3

20 Shades


Block Size

Ø 95, 98

12mm
14mm
16mm
18mm
20mm
22mm
25mm
30mm


EVEREST MULTILAYER AT+

EVEREST Multilayer AT+ is a very high transparency multilayer zirconia designed for aesthetic prosthetics in the anterior region.



Sintering Schedule

Max. temp: 1530°C
Total hours: About 5hr



Shades

A1, A2, A3, A3.5, A4
B1, B2, B3, B4
C1, C2, C3, C4
D2, D3, D4
BL0, BL1, BL2, BL3


20 Shades

Block Size

Ø 95, 98





12mm
14mm
16mm
18mm
20mm
22mm
25mm
30mm

Indication



EVEREST 3D MULTILAYER PT


EVEREST Multilayer PT is a high-strength aesthetic multilayer zirconia designed for large size prosthetics and posterior crowns that need the strength to resist strong biting pressures.

	Translucency	Strength
Incisal		
	46%	1100MPa
	46%	1100MPa
	44%	1250MPa
	44%	1250MPa
Cervical		



Sintering Schedule

Max. temp: 1530°C
Total hours: About 5hr



Shades

A1, A2, A3, A3.5, A4
B1, B2, B3, B4
C1, C2, C3, C4
D2, D3, D4
BL0, BL1, BL2, BL3


20 Shades

Block Size

Ø 95, 98

12mm
14mm
16mm
18mm
20mm
22mm
25mm
30mm

Indication



Posterior
Crown

Posterior
Bridge


All on 4

RAZOR 800




Razor 800 is a zirconia disc with a flexural strength of 800 MPa, a very highly transparent single layer zirconia designed for anterior restorations.


Translucency



Strength




Indication



Sintering Schedule

Max. temp: 1530°C
Total hours: About 5hr



Shades

A0, A1, A2, A3,
A3.5, A4
B1, B2, B3, B4
C1, C2, C3, C4
D2, D3, D4

17 Shades


Block Size

Ø 95, 98

10mm	20mm
12mm	22mm
14mm	25mm
16mm	30mm
18mm	


RAZOR 1100

RAZOR 1100 is a versatile zirconia disk that can be used for both anterior and posterior restorations. It allows high quality prosthetics to be produced with a strong flexural strength of 1100 MPa and a high transparency of about 46%.



Sintering Schedule

Max. temp: 1530°C
Total hours: About 5hr



Shades

A0, A1, A2, A3, A3.5, A4
B1, B2, B3, B4
C1, C2, C3, C4
D2, D3, D4
BL1, BL3


19 Shades

Block Size

Ø 95, 98

10mm	20mm
12mm	22mm
14mm	25mm
16mm	30mm
18mm	

Indication



RAZOR 1300




RAZOR 1300 is a high-strength zirconia disc with a very strong flexural strength of 1300 MPa. You can use this to make full-arch cases and copings very safe and beautiful.

Translucency



Strength



Indication



Posterior Crown



Coping




Coping Bridge



Full Arch

Sintering Schedule

Max. temp: 1530°C
Total hours: About 5hr



Shades

A0, A1, A2, A3, A3.5, A4
B1, B2, B3, B4
C1, C2, C3, C4
D2, D3, D4

17 Shades


Block Size

Ø 95, 98

10mm	20mm
12mm	22mm
14mm	25mm
16mm	30mm
18mm	


RAZOR CAP

RAZOR CAP is a dedicated product for zirconia coping production. It has a flexural strength of 1400 MPa, and can be used for single caps to full arch's. This product can also be used in cases where you need to cover inner color, such as discolored teeth or to coat an implant abutment.



Sintering Schedule

Max. temp: 1530°C
Total hours: About 5hr



Shades

A0 (WHITE)

Block Size

Ø 95, 98

10mm	20mm
12mm	22mm
14mm	25mm
16mm	30mm
18mm	

Indication



Coping



Coping
Bridge

EVEREST VOLCAN SPEED

EVEREST Volcan Speed was developed and optimized for the production of one-day zirconia prosthetics. Quickly sintered zirconia prosthetics can be produced in 40 minutes from room temperature to sintering completion. It can also be used with a normal sintering function. (A two-layer tray is also available).

Used with UNC's fast-sintering multilayer zirconia block Everest Universal Speed (UVS) to see the best results.

Machine Specifications

Body Size :	300 x 400 x 640mm
Body Chamber :	100 x 100 x 80mm
Max. Temp. :	1600°C (2912°F)
Heater :	Super-kanthal
Power* :	AC 220V, 50/60Hz, 15A



* Power supply specifications can be adjusted to match that of desired country at buyers request.

ZIR GUIDE

The ZIR GUIDE is a zirconia shade guide created from our EVEREST Multilayer AT zirconia block.

The ZIR GUIDE comes in 18 colors, including the bleach colors BL1 and BL3. By using our own products and real zirconia for our shade guide, we are able to guarantee accurate shades throughout our line, with even easier matching.

The ZIR GUIDE can also be used with other EVEREST zirconia blocks such as PT and UVS, as the colors are made identically.



Patient shade matching



After setting

COLORING LIQUID



EVEREST Coloring Liquid is a universal coloring liquid that can be used on any zirconia disks. It is suitable for various clinical aesthetic cases and creates a beautiful and natural finishing product.*

Effect

Incisal
Blue
Gray
Violet
Orange
Brown
White
Pink
Opaque

Dentin

A1 B4
A2 C1
A3 C2
A3.5 C3
A4 C4
B1 D2
B2 D3
B3 D4

* Both dipping and brushing is applicable.
User is responsible for application method and testing.



UNC International



uncinternational_kr



@uncint



www.uncint.com



marketing@uncint.net



TEL: +82-2-864-7715
FAX: +82-2-864-7713

Seoul Office

Room 718, 28, Digital-ro 30-gil, Guro-gu, Seoul, Korea

Head Office

106-11 Beomjigi-ro, Danwon-gu, Ansan-si, Korea

* Product packaging and design is subject to change.